State of the Heart

Cardiovascular Disease in South Carolina



Burden of Disease:

- Nearly one million Americans die each year from cardiovascular disease (CVD), which includes heart disease, stroke, high blood pressure, congestive heart failure, and other diseases of the circulatory system.
- CVD is South Carolina's leading killer for both men and women among all racial and ethnic groups.
- During 2004, 12,597 South Carolinians died from cardiovascular disease more than the total number of people who died from all cancers, pneumonia, influenza, and car accidents combined.
- Heart disease and stroke accounted for 86,417 hospitalizations in South Carolina during 2004, with a total hospitalization cost of more than \$2.8 billion.

Risk Factors for South Carolinians **Smoking**

- Cigarette smokers have a 70 percent greater chance of dying of heart disease than nonsmokers.
- One out of every four adults in South Carolina smokes
- Smoking contributes to 25 percent of heart disease each year.

Overweight


- Over 60 percent of South Carolina adults are overweight or obese.
- Being overweight contributes to 32 percent of heart disease deaths each year.

Sedentary Lifestyle

- Less active, less physically fit persons have a 30 to 50 percent greater risk of developing high blood pressure.
- Physical inactivity contributes to 27 percent of deaths from heart disease annually.
- Fifty-four percent of adults in South Carolina are irregularly active or inactive.
- Physical inactivity is more common among women than men in South Carolina.

Hypertension (High Blood Pressure)

- People with hypertension (high blood pressure) have three to four times the risk of developing heart disease than those without high blood pressure.
- High blood pressure contributes to 30 percent of heart disease deaths each year.
- One out of every four adults in South Carolina has high blood pressure (2003 data).



*Data Source: South Carolina Behavioral Risk Factor Surveillance System 2004 Hypertension and High Cholesterol 2003 data

Diabetes

- Two-thirds of people with diabetes die of heart disease or stroke.
- Diabetes contributes to 13 percent of heart disease deaths each year.
- Nearly one out of every 12 South Carolina adults has diabetes.

High Cholesterol

- Lowering blood cholesterol results in a two-fold reduction of heart disease risk.
- High cholesterol contributes to over 4,000 deaths from heart disease in South Carolina each year.
- High cholesterol affects 33 percent of South Carolina adults (2003 data).

Estimated Economic Cost of CVD in the United States in 2006 \$257.6 billion in direct costs (i.e., physicians, hospital, medications) **\$145.5 billion in indirect costs** (i.e., loss in productivity)

Stroke in South Carolina



Burden of Disease for South Carolinians:

- Stroke is a leading cause of serious, long-term disability in the United States.
- South Carolina had the second highest stroke death rate in the nation in 2002 and is among a group of Southeastern states with high stroke death rates that is referred to as the "Stroke Belt."
- Stroke is the third leading cause of death in South Carolina, resulting in 2,631 deaths during 2004.
- African-Americans are more than 40 percent more likely to die from stroke than Caucasians in South Carolina.
- Stroke resulted in 14,215 hospitalizations in South Carolina during 2004.

Modifiable Risk Factors for Stroke:

- High blood pressure
- Cigarette smoking
- Diabetes
- Heart disease
- Poor eating habits
- Physical inactivity

How to Reduce Your Risk of Stroke:

- Get your blood pressure checked
- Stay active
- Eat a healthy diet
- Use less salt
- If you drink alcohol, drink in moderation
- Get your cholesterol level checked
- Stay smoke-free

WARNING SIGNS OF STROKE:

- Sudden numbness or weakness of the face, arm or leg, especially on one side of the body
- Sudden confusion, trouble speaking or understanding
- Sudden trouble seeing in one or both eyes
- Sudden trouble walking, dizziness, loss of balance or coordination
- Sudden, severe headaches with no known cause

Economic Cost of Stroke:

- Hospitalization costs of stroke totaled more than \$368 million in 2004 for South Carolina.
- The total cost of stroke in the United States for 2006 is estimated at \$57.9 billion (both direct and indirect costs).

For more information on cardiovascular disease prevention in South Carolina, please contact:

Bureau of Community Health and Chronic Disease Prevention Division of Cardiovascular Health 1777 St. Julian Place Columbia, SC 29204 (803) 545-4500

Information for this fact sheet was obtained from S.C. BRFSS, S.C. Vital Records, S.C. Hospital Discharge Data, American Heart Association, and Centers for Disease Control and Prevention. Fact sheet produced by Office of Chronic Disease Epidemiology January 2006.



South Carolina Department of Health and Environmental Control